

ROXX® SHOW Series



We are ROXX®



The name ROXX® came easily.

Combined with the concentrated knowledge and many years of experience, our three founders, who have been leaving their mark in the event and lighting industry for many years already, came together in 2019 to start this outstanding venture.

Product development, sales and marketing as well as the exceptional know-how and the profound rooting in the field of the professional lighting technology belong to our core competences and therefore guarantee extremely innovative and reliable products, excellent support and professional service in every aspect.





Made to last

Recommended for permanent outdoor use, most ROXX® products feature additional corrosion protection and enhanced IP66 equipment protection, thereby providing that crucial extra for a wider range of applications. In addition to architectural or theme park applications, even fixed installations in coastal or offshore areas with high salt exposure can be reliably implemented over long periods of time.



Designed & developed in Germany

ROXX[®] products are developed and designed in Germany. Always in tight consultation with our customers and experts who will eventually be working with these tools. This ensures innovative, easy-to-use and performance-oriented solutions, which provide added value for our customers.







"We are covinced that there are many fixtures out there that do their job well. However, we firmly believe that it is possible to improve on many things and above all, to develop a luminaire that is truly multifunctional."



ROXX[®] SHOW Series – the new benchmark.

and protected ROXX® R.LOK technology. This allows the beam angle to be adapted to the respective lighting situation. A barndoor, honeycomb,

softbox and full anti-glare shield are available as accessories.

E.SHOW Series

Entertainment Version

The daily tool for stage, trade show, corporate, theatre, broadcast or film. Designed both for indoor and outdoor use, the ROXX® E.SHOW series is IP65 certified and made from robust die-cast aluminium. In addition to control via DMX, RDM or standalone, ROXX® integrates the latest wireless technology from Swedish manufacturer Lumenradio and thus already relies on the DMX Mesh™ technology.

The integrated Bluetooth interface allows direct control via iOS tablet or Phone via unique ROXX.APP with no need for any additional hardware.



































E.SHOW TW+

Perfect whites & brilliant colors

Single-Source LED 200W / 6 Color LED 9.000lm luminous flux CRI/Ra 97 / TLCI 98 IP65 In/Outdoor



E.SHOW FC

Intense colors & variable white

Single-Source LED 230W / 4 Color LED 9.000lm luminous flux IP65 In/Outdoor



Powerful warm white

3.200K Tungsten LED 200W 11.000lm luminous flux CRI/TLCI 98 IP65 In/Outdoor



Powerful daylight

5.600K Daylight LED 200W 13.500lm luminous flux CRI/TLCI 98 IP65 In/Outdoor



E-SHOW SERIES FEATURES

User friendly and ultra flexible



Everything under control

Wireless DMX

ROXX[®] integrates the latest Wireless DMX technology from Swedish manufacturer Lumenradio and is already using the soon to be available DMX MeshTM technology, bringing the expertise and benefits of mesh networking to the lighting industry.

DMX / RDM

Via two IP65-certified 5-pole XLR sockets, the fixture can be integrated into a wired DMX line and also communicates via bidirectional RDM communication.

Smart control via ROXX.APP

The integrated Bluetooth interface enables direct control of the spotlights via iOS tablet or phone with ROXX.APP, without the need for additional hardware.



Quick and easy. The lens change

Lenses

Thanks to the specially developed and patented ROXX[®] R.LOK technology, the lenses can be changed easily, quickly and without any tools.

This allows the beam angle to be conveniently adjusted, whether from narrow, medium, wide or elliptical narrow and elliptical wide The 360° slot rotation also allows the elliptical lenses to be aligned continuously.

Color Code

A color and letter code on the lens ring guarantees quick identification of the according beam angle when installed. Inside its touring case, the coding makes it easy to find the desired lens quickly.



Bumper

The rubberised lens ring is used for safely placing the fixture on its front, without leaving scratch marks on neither housing nor floor.

User-friendly down to the last detail

The OLED display ensures quick configuration of the headlamps. The backlit and touch sensitive buttons allow safe navigation even in dark surroundings. A convenient overhead installation of the spotlight can be realised through the automatic display flip function.



Ultra flexible. The accessories



Accessory Holder

The accessory holder is only placed on the luminaire when needed and otherwise is concealed in the case.



Barndoor

A 360° rotatable 8-bladed barndoor is available for optimal beam control.



Full Anti-Glare Shield

The Full Anti-Glade Shield prohibits the direct view of the LED and thus reduces glare and stray light to a minimum.



Honey Comb

A honeycomb filter is available to limit stray light and lateral reflections.



Suspended Luminaire

The handle is removed and the mounting points are simply closed with the caps provided.



DoPchoice® Snapbag

For an absolutely even illumination of motifs in camera applications.

A.SHOW Series

Architectural Version

For protection against environmental influences over a long period of time, the ROXX® A.SHOW series is IP66 certified and has an additional C5-M corrosion protection for coastal and offshore areas, providing that crucial extra for a wider range of applications. For comfortable and individual installation of the lighting fixtures, the external connections for power supply as well as the DMX inputs/outputs are designed as cable bushings with PG glands and Phoenix connection blocks.






Accessory Holder



Barndoor









Full Anti-Glare Shield



R.KEY®



A.SHOW TW+

Perfect whites & brilliant colors

Single-Source LED 200W / 6 Color LED 9.000lm luminous flux CRI/Ra 97 / TLCI 98 IP66 In/Outdoor



A.SHOW FC

Intense colors & variable white

Single-Source LED 230W / 4 Color LED 9.000lm luminous flux IP66 In/Outdoor



A.SHOW T

Powerful warm white

3.200K Tungsten LED 200W 11.000lm luminous flux CRI/TLCI 98 IP66 In/Outdoor



A.SHOW D

Powerful daylight

5.600K Daylight LED 200W 13.500lm luminous flux CRI/TLCI 98 IP66 In/Outdoor



ROXX.APP

Lighting control made easy – with ROXX.APP

With quick and easy connecting, direct control of the ROXX[®] fixtures without any additional hardware and a compatibility with all iOS mobile device, you are provided with an innovative and high-performance lighting control system.

Program and edit your lightshows comfortably and in real time whether you are preparing exhibition stands, façade lighting or an industrial event. Not only battery-operated fixtures but LED pars and floodlights too are controllable from your iOS Smartphone or tablet with the ROXX.APP. Achieving maximum benefit through minimal effort.







- Quick and easy connecting
- Direct control of ROXX[®] fixtures without additional hardware
- Compatible with all iOS mobile devices
- 1 universe / 512 DMX channels
- Color Switching Modes
- Customizable lighting scenes
- Easily adjustable brightness
- Sharing
- Perfect overview



